





EMBERLY SERIES with high performance optical elements and elegant round downlight the EMBERLY SERIES Is impressive for its simplicity and flexibility. Supply by changeable collars: EMBERLY elements in various colour can create on excellent atmosphere.

The EMBERLY SERIES not only provided comfortable illumination experience but also a stylish decorative note to any space.

Shape	\circ	
	Round 85	
Mountings		
	Recessed Trim	Recessed Trimless
Light distributions		
	Downlight	



RECESSED/SURFACE All In One

EMBERLY SERIES display effect can produce a smooth and mild atmosphere from top to bottom. EMBERLY can be used to adjust the application depending on the different environment, it can be a surface downlighter if you add the collar and without the collar recessed. Customised collar colours are also available. High efficiency and comfortable visual experience can be created.






Specification

3000 K CRI ≥ 90 DALI, TRIAC, 1-10V

Types





Colours

Colours:



Custom collar colours:







(MOQ is required for custom colours)

Beam Angle










15"/24"/36"/50" (Lens)



Recessed trimless







Colours :



 LED Consumption
 14W

 Current
 350 (mA)

 Delivered Lumen
 1019 (lm)

 Beam Angle
 15°/24°/36°/50° (Lens)

 CCT
 3000K

 CRI
 90+

Colours : O



 Current
 350 (mA)

 Delivered Lumen
 1019 (lm)

 Beam Angle
 15°/24°/36°/50° (Lens)

 CCT
 3000K

 CRI
 90+

Colours : O



Dimmable


CRI














Dimmable













Dimmable



























2603

289

162

104

